

calculating the difference in said energy of said signal within each of said sample windows;

updating a variance parameter based on said difference;

in the event that said variance parameter is less than a predetermined multiple of the energy of said signal within a most recent one of said sample windows then indicating the presence of noise and setting a noise level parameter as a function of the energy of said signal within said most recent one of said sample windows, and in the event that said variance parameter is greater than or equal to ~~than~~ said predetermined multiple of energy of said signal within said most recent one of said sample windows then indicating the absence of noise in said most recent sample window; and

in the event that said noise level parameter exceeds the energy of said signal within said most recent one of said sample windows then setting said noise level parameter to equal the energy of said signal within said most recent one of said sample windows.

wherein said step of updating said variance parameter further comprises the steps of:

comparing said variance parameter to said difference in said energy of said signal within each of said sample windows and setting said variance parameter to the weighted average of the difference and a previous value of the variance parameter; and

in the event that said variance parameter is greater than said difference then adjusting said variance parameter with a predetermined.

2. (Original) The method of claim 1, further comprising the steps of discarding two successive ones of said sample windows at start up and for each subsequent first one of said two successive sample windows which exceeds a predetermined maximum energy.

3. (Cancelled)

4. (Original) The method of claim 1, wherein said step of setting the noise level parameter as a function of the energy of said signal within said most recent one of said sample windows further comprises setting said noise level parameter to the weighted average of the energy of said signal within said most recent one of said sample windows and a previous value of said noise level parameter.